
2023 Fundamentals Exit Hesi Exit Exam Test Bank

(All 55 Q&A) Included
Guaranteed A++

****Scored 1081 on the exit
exam**

Please note: **This serves as notice that you do not have permission to resell or redistribute my document.** Please feel free to DM me with any questions. Happy Studying!! 🤗

When changing a client's post-operative wound dressing, the nurse notes yellow purulent drainage. What action should the nurse take?

- ☒ A Notify the healthcare provider.
- ☐ B Cover the wound with clean gauze and secure.
- ☐ C Irrigate the wound with sterile water and leave open to air.
- ☐ D Irrigate the wound with normal saline and pack with gauze.

The healthcare provider prescribes enteral feeds of Jevity 1.2 cal at 66 mL/hour over 20 hours, and free water flushes of 225 mL q 4 hours x 24 h via nasogastric tube. How many mL of total fluid will the client receive in 24 hours? (Enter numerical value only. If rounding is required, round to one decimal place.)

2670

3 of 55

The nurse prepares to administer a medication that comes in tablet form through a client's gastrostomy tube. Which actions should the nurse implement? (Select all that apply)

- ☒ A Position client in Fowlers position
- ☐ B Aspirate gastric contents at the start and end of the procedure
- ☐ C Mix crushed medication with tube feeding
- ☐ D Pour dissolved medication into a syringe and inject into G tube
- ☒ E Flush tube with 30cc of lukewarm water prior and after the medication administration

4 of 55

The nurse notes that a client who is receiving oxygen by nasal cannula continues to remove the oxygen prongs from the nares. What action should the nurse take?

- ☐ A Tape the oxygen tubing to the client's nares.
- ☒ B Assess why the client removes the nasal cannula.
- ☐ C Increase the oxygen flow rate.
- ☐ D Change the nasal cannula to a mask.

The nurse is concerned that a blood pressure reading is dangerously elevated for an obese client. What should the nurse do first before contacting the health care provider with the reading?

- ☒ A Reassess the blood pressure using a larger cuff
- ☐ B Reassess the blood pressure using a smaller cuff.
- ☐ C Reassess the blood pressure while the client is standing.
- ☐ D Reassess the blood pressure while the client is lying down.

6 of 55

Blood Pressure	136/80 mm/Hg
Heart Rate	88 beats/min
Respiratory Rate	20 breaths/min
Oxygen Saturation	92% on 2L oxygen
Temperature	37 C (99.6F) oral

A client with a tracheostomy is admitted with pneumonia. The client has a productive cough with thick yellow sputum, bilateral crackles on lung auscultation, and vital sign as listed below. When creating this client's care plan, which client outcome should the nurse identify as a priority?

- ☒ A Client will be able to effectively cough secretions via tracheostomy.
- ☐ B Client will have clear lungs sounds.
- ☐ C Client will be afebrile.
- ☐ D Client will have oxygen saturation greater than 90% during hospitalization.