# get pdf at learnexams.com

#### ATI Maternity Retake Exam | Questions and Answers | Latest 2023/2024

- 1. A nurse is assessing a client who is at 39 weeks of gestation and determines that the fetu s is in a left occipitoanterior position. On which of the following sites should the nurse p lace the external fetal monitor to hear the point of maximum impulse of the fetal heart ra te?
  - A. LLQ
  - B. LUQ
  - C. RLQ
  - D. RUQ
    - ~ **Answer:** A) LLQ
- 2. A nurse is assessing a full-term newborn. Which of the following findings should the nurse report to the provider?
  - A. Temperature 36.5 degrees C (97.7 degrees F)
  - B. Blood pressure 80/50 mm Hg
  - C. Respiratory rate 55/min
  - D. Heart rate 72/min The Xams
    - ~ Answer: Heart rate 72/min
- 3. A nurse is performing an assessment for a newborn and notes breast tissue that has a flat areola with no bud. The nurse should identify that this finding indicates which of the fol lowing?
  - A. Decreased maternal hormones during pregnancy
  - B. Congenital anomaly
  - C. Preterm gestational age
  - D. Ambiguous secondary sex characteristics
    - ~ Answer: Preterm gestational age

### LEARNEXAMS.COM

## get pdf at learnexams.com

- 4. A nurse is reviewing the medical records of a client who had a vaginal delivery 3 hours ago. Which of the following findings place the client at risk for post-partum hemorrhage? SATA
  - A. History of uterine atony
  - B. Vacuum assisted birth
  - C. Labor induction with oxytocin
  - D. Normal weight
  - E. History of HPV
    - ~ Answer:
- A) History of uterine atony
- C) Labor induction with oxytocin
- 5. A nurse is caring for a client who has maternal hypotension following the placement of a n epidural. Which of the following actions should the nurse take?
  - A. Position the client in a knee-chest position
  - B. Give terbutaline subcutaneously
  - C. Apply oxygen via nonrebreather face mask
  - D. Administer a bolus infusion of lactated Ringer's



- 6. A nurse is monitoring a client who is undergoing a nonstress test at 35 weeks gestation. Which of the following findings requires an intervention by the nurse?
  - A. Uterine contractions lasting 20 to 30 seconds each
  - B. An FHR that peaks 20 beats above baseline
  - C. Three uterine contractions within a 20-minute period
  - D. One acceleration of the FHR within a 20-minute period
    - Answer: Uterine contractions lasting 20 to 30 seconds each
- 7. A nurse is caring for a client who had a pudendal nerve block. The nurse should monitor for which of the following findings as an adverse effect?
  - A. Fetal bradycardia

### LEARNEXAMS.COM

## get pdf at learnexams.com

- B. Maternal hypertension
- C. Decreased ability to bear down
- D. Uterine hyperstimulation
  - ~ Answer: Decreased ability to bear down
- 8. A nurse is assessing a client who is requesting a combined oral contraceptive. Which of the following findings should indicate to the nurse that the client has a contraindication?
  - A. The client is breastfeeding her 4-week-old newborn
  - B. The client is 25 years old
  - C. The client weighs 115 kg
  - D. The client drinks 240 ml of wine a day
    - ~ Answer: The client is breastfeeding her 4-week-old newborn
- 9. A nurse is admitting a client to the birthing unit who reports contractions started 1 hour ago. The nurse determines the client is 80% effaced and 8 cm dilated. The nurse realizes that the client is at risk for which of the following conditions?
  - A. Postpartum hemorrhage
  - B. Incompetent cervix
  - C. Ectopic pregnancy
  - D. Hyperemesis gravidarum
    - ~ Answer: Postpartum hemorrhage
- 10. A nurse is assessing a newborn for manifestations of hypoglycemia. Which of the follow ing findings should the nurse expect?
  - A. Increased muscle tone
  - B. Jitteriness
  - C. Petechiae
  - D. Abdominal distension
    - Answer: Jitteriness

#### LEARNEXAMS.COM