

# NUR 2755 Multidimensional Care IV

## MDC4 Exam 2 Study Guide

How often should a nurse evaluate breath sounds when a patient is on a vent?

**Answer:**

Every 4 hours

Types of distributive shock

**Answer:**

Septic

Anaphylactic

Neurogenic

learnexams

ARDS (acute respiratory distress syndrome)

**Answer:**

respiratory insufficiency marked by progressive hypoxia

Burn patient plan of care

**Answer:**

No vegetables, fresh flowers

High protein foods 5000 calorie diet

Physical therapy

Apply compression dressing after grafts heal

Which Client is most at risk for MODS?

**Answer:**

Septic Shock

Dissiminated Intravascular Coagulation (DIC)

**Answer:**

learnexams

Abnormal coagulation involving fibrinogen

Atalectasis sounds

**Answer:**

Rhonchi or lack of breath sounds

Metabolic acidosis

**Answer:**

Low pH, low HCO<sub>3</sub>

Fully compensated metabolic acidosis

**Answer:**

Plasma back to 7.35-7.45

H<sub>2</sub>CO<sub>3</sub>/HCO<sub>3</sub> ratio back to 1:20

Depressed CO<sub>2</sub> levels - hyperventilating

Depressed HCO<sub>3</sub> levels

Respiratory acidosis

**Answer:**

learnexams

A drop in blood pH due to hypoventilation (too little breathing) and a resulting accumulation of Co<sub>2</sub>.

Mechanical ventilation high pressure alarm

**Answer:**

excess secretions

kinks

pt biting tubes

coughing

pulmonary edema