

get pdf at learnexams.com

**NGN ATI RN NURSING CARE OF
CHILDREN PROCTORED EXAM 2019
QUESTIONS WITH CORRECT
ANSWERS GRADED A+ (Verified
2023/2024)**

[learnexams](https://learnexams.com)

[LEARNEXAMS.COM](https://learnexams.com)

A nurse is providing education about dietary modifications to the parent of a school age child who has glomerulonephritis. Which of the following information should the nurse include in the teaching?

- A. Increase the child calcium intake
- B. Decrease the Child's sodium intake
- C. Increase the child's intake of carbohydrates
- D. Decrease the child's fat intake - Answer B. Decrease the Child's sodium intake

A nurse is providing teaching to the parents of a school-age child newly diagnosed with a seizure disorder. The nurse should teach the parents to take which of the following actions during a seizure?

- A. Minimize movement of the limbs
- B. Insert a tongue blade between the teeth
- C. Clear the area of hard object
- D. Place the child in a prone position - Answer C. Clear the area of hard object

A nurse is assessing an adolescent who has type 1 diabetes mellitus. Which of the following findings is the nurse's priority?

- A. HbA1C 11.5%
- B. cholesterol 189 mg/dL
- C. Preprandial blood glucose 124 mg/dL
- D. Glycosuria - Answer A. HbA1C 11.5%

A nurse is providing anticipatory guidance to a parent of a 1- month-old infant. The nurse should include that it is recommended to start this series of which of the following immunization first?

- A. Varicella
- B. measles, mumps, rubella
- C. Inactivated poliovirus
- D. Hepatitis A tetra - Answer C. Inactivated poliovirus

A nurse is reviewing the laboratory report of a toddler who has hemolytic uremic syndrome. Which of the following findings should the nurse expect?

- A. Creatinine 0.3 mg/dL - normal
- B. Hbg 18 g/dL -this is elevated, Hbg should be decreased
- C. Urine casts absent - urine should be positive for casts, blood and protein
- D. BUN 28 mg/dL - Answer D. BUN 28 mg/dL

A nurse is caring for a school-age child who is experiencing a sickle cell crisis. Which of the following actions should the nurse take? (ATI pg. 126)

- A. Administer furosemide IV twice per day.
- B. Apply warm compresses to the affected areas