ONS/ONCC Chemotherapy Biotherapy Certification Exam (2023/ 2024 Update) Questions and Verified Answers|100% Correct- Grade A

Q: True or False: When administering an IV push medication the nurse should open the clamp of compatible intravenous solution until increased flow is seen to dilute the agent during administration

Answer: True

<u>Q</u>: During the 2 RN check, the correct patient and dose is to be verified at the --

Answer: bedside/chairside

learnexams

Q: Continuous infusion of vesicants must be through a --

Answer: Central Line

Q: Family and -- of the patient need taught about excretion safety precautions

Answer: friends

Q: Excretion safety precautions last for -- to -- days

Answer: 3, 7

Q: True or False: When evaluating a patient prior to chemotherapy, the nurse notes the patient recently had weight loss. The nurse recalculates the dose and discovers the change in the dose is greater than 5%. The next step for the nurse is to notify the attending physician that the patient will need re-consented because of the dose adjustment

Answer: False

<u>Q</u>: Alkylating agents are cell cycle specific. They work on -- and resting cells

Answer: dividing

learnexams

Q: Alkylating agents are effective in slow growing tumors and large tumors that have few actively -- cells

Answer: dividing

<u>Q:</u> List three toxicities common in all alkylating agents:

Answer:

- 1. Nausea
- 2. Vomiting
- 3. Myelosuppression
- 4. Infertility
- 5. Alopecia

6. Tumor Lysis Syndrome (TLS)

<u>O</u>: Which class of drugs can cross the blood brain barrier, increasing a patient's risk for CNS toxicities?

Answer: Nitrosureas

Q: -- is the solvent of carmustine (BCNU)

Answer: Sterile Alcohol

Q: The -- formula ia used to calculate Carboplatin dosage

Answer: Calvert

learnexams

Q: True or False: Temozolamide (Temodar) effectively crosses the blood brain barrier

Answer: True

Q: Patients may feel intoxicated during the administration of --

Answer: Carmustine (BCNU)

Q: Patients are prophylactically medicated with anticonvulsants before receiving -- and for 24 hours after the last dose to prevent seizures

<mark>Answer:</mark> Busulfan

Q: True or False: Oxaliplatin should only be mixed with D5W

Answer: True

Q: Which drug should ALWAYS be given with Mesna?

Answer: Ifosfamide

O: Pulmonary fibrosis is a late complication of patients who receive -

Answer: Busulfan

Q: The platinum alkylating agents include --, --, and --

Answer: Cispiatin, Carboplatin, Oxaliplatin

Q: Cisplatin (Platinol) is a -- emetogenic drug