

TCFP Test FF1 (Latest 2023/ 2024) Questions and Verified Answers| 100% Correct

Q: Which of the following actions does NOT contribute to firefighter safety?

Answer:

Free-lancing

Q: Making equipment safe is addressed by:

Answer:

Selection

Inspection and maintenance

Application

ALL OF THE ABOVE

Q: A fire ground management system that addresses procedures for controlling personnel, facilities, equipment, and communications and is designed to be expanded as needed is the:

Answer:

Incident management system

Q: The coupling on the high pressure hose that is attached to an SCBA cylinder should be:

Answer:

Hand tight

Q: When using positive pressure SCBA, a poor seal between the face piece and the firefighter's face is:

Answer:

Dangerous, because it is still possible for toxic gases to enter the face piece

Q: All of the following are good practices when wearing self-contained breathing apparatus, except:

- Working in pairs as a minimum
- Checking face piece seal prior to connecting the breathing tube
- Turning the bypass valve on when entering the structure
- Leaving a dangerous area immediately when the alarm sounds

Answer:

Turning the bypass valve on when entering the structure

Q: The bypass valve on a self-contained breathing apparatus is used:

Answer:

In emergency situations involving a malfunctioning regulator

learnexams

Q: Which of the following is considered to be a hazardous atmosphere encountered during fires?

Answer:

- Oxygen deficiency
- Elevated temperatures
- Smoke
- ALL OF THE ABOVE

Q: Which of the following statements regarding changes in SCBA is INCORRECT?

- The weight of standard 30 minute SCBA has been reduced approximately 40% since 1980
- New regulation designs provide increased airflow and redundancy
- All SCBA used or manufactured for fire department must not be positive pressure
- Newer SCBA units have the PASS device incorporated in the unit

Answer:

All SCBA used or manufactured for fire department must not be positive pressure

Q: When tightening the straps on a SCBA face piece, the _____ straps should always be tightened first.

Answer:

Lower

Q: As the oxygen supply in any given area falls below _____ percent, unconsciousness can occur.

Answer:

9

Q: The FIRST noticeable sign of oxygen deficiency are:

Answer:

Increased respiratory rate and impaired muscular coordination

Q: Four hazardous atmospheres that firefighters are likely to encounter at a fire are

Answer:

super-heated air, toxic gases, oxygen deficiency, and smoke

Q: The open-circuit, positive pressure breathing apparatus operates by:

Answer: