VATI PN / LVN Comprehensive Predictor 2020 Form B Green Light Exam Questions and Answers

Which of these instructions should a nurse include in the teaching plan for a client who had removal of a cataract in the left eye?

- a. "Forcefully cough and take deep breaths every two hours to keep your airway clear."
- b. "Perform the prescribed eye exercises each day to strengthen your eye muscles."
- c. "Rinse your eyes with saline each morning to prevent postoperative infection."
- d. "Take the prescribed stool softener to avoid increasing intraocular pressure."

Answer:

d. "Take the prescribed stool softener to avoid increasing intraocular pressure."

learnexams

A client vomits during a continuous nasogastric tube feeding. A nurse should stop the feeding and take which of these actions?

- a. Suction the nasogastric tube.
- b. Flush the tube with 30 mL of sterile water.
- c. Remove the nasogastric tube.
- d. Check the residual volume.

Answer:

d. Check the residual volume.

Which of these actions best demonstrates cultural sensitivity by a nurse?

- a. The nurse talks in a slow-paced speech.
- b. The nurse asks clients about their beliefs and practices toward pregnancy.
- c. The nurse uses charts and diagrams when teaching pregnant clients.
- d. The nurse can speak several different languages.

Answer:

b. The nurse asks clients about their beliefs and practices toward pregnancy.

Which of these manifestations should a nurse expect to observe in a 3-month-old infant who is diagnosed with dehydration?

- a. Hyperreflexia.
- b. Tachycardia.
- c. Bradypnea.
- d. Agitation.

Answer:

learnexams

b. Tachycardia.

When assessing a client's risk of developing nosocomial infection, a nurse plans to determine potential entry portals, which include:

- a. the urinary meatus.
- b. vomitus.
- c. contaminated water.
- d. sexual intercourse.

Answer:

a. the urinary meatus.

A client who is on the inpatient psychiatric unit has a history of violence. Which of these actions should a nurse take if the client is agitated?

- a. Encourage the client to verbalize feelings.
- b. Lock the client in a secluded room.
- c. Ask the other clients to give feedback regarding the client's behavior.
- d. Ignore the client's inappropriate behavior.

Answer:

a. Encourage the client to verbalize feelings.

Which of these measures should a nurse include when planning care for a school-aged child during a sickle cell crisis episode?

- a. Monitoring for signs of bleeding.
- b. Providing pain relief.
- c. Administering cool sponge baths to reduce fevers.
- d. Offering a high calorie diet.

Answer:

b. Providing pain relief.

Which of these instructions should a nurse include in the plan of care for a 32-week gestation client who had an amniocentesis today?

- a. "Drink at least six glasses of fluids during the next six hours after the test."
- b. "Call the clinic if you experience any abdominal cramps."

- c. "Don't be concerned if you have some vaginal spotting in the next 12 hours."
- d. "When you get home, stay on bed-rest for the next 48 hours."

Answer:

b. "Call the clinic if you experience any abdominal cramps."

An adolescent has a nursing diagnosis of fatigue related to inadequate intake of ironrich foods. Selection of which of these lunches by the client indicates a correct understanding of foods high in iron content?

- a. Peanut butter and jam sandwich.
- b. Chicken nuggets with rice.
- c. Tuna salad sandwich.
- d. Beefburger with cheese.

Answer:

d. Beefburger with cheese.

learnexams

A client has been admitted with acute pancreatitis. Which of these laboratory test results supports this diagnosis?

- a. Elevated serum potassium level.
- b. Elevated serum amylase level.
- c. Elevated serum sodium level.
- d. Elevated serum creatinine level.

Answer:

b. Elevated serum amylase level.