

QMA Insulin Administration Test (2023/ 2024 Update) 100% Correct| Questions and Verified Answers| Already Grade A (Latest)

Q: Physical activity in a diabetic resident will

Answer:

B. Increase insulin sensitivity

Q: Oral hypoglycaemic medication works to

Answer:

Stimulate insulin secretion in the pancreas, decrease the amount of glucose released by the liver, delay the digestion of carbohydrates D. All of the above

Q: It is important for diabetics to eat at scheduled times throughout the day?

Answer:

True

Q: Insulin is administered by injection because it is destroyed in the urinary tract.

Answer:

B. False

Q: When should rapid acting insulin be given?

Answer:

C. Just before or after eating

Q: What is long acting insulin?

Answer:

B. Insulin given in the morning or bedtime that lasts throughout the whole day.

Q: When should short acting insulin be given?

Answer:

D. Insulin given 45 minutes prior to eating

Q: Which one is Not a measurement of glucose?

Answer:

D. Fasting blood lactate

learnexams

Q: If a resident refuses a meal, an alternative meal Must be offered.

Answer:

a. True

Q: Which of the following CANNOT be administered by a Qma?

Answer:

C. U-500 insulin

Q: Which of the following are parts of an insulin syringe?

Answer:

Hub, Barrel, Plunger D. All of the above are correct

Q: Insulin is measured in

Answer:

Units

Q: Insulin used for injection is stored in vials?

Answer:

True

Q: Insulin needles and syringes can be used on more than one resident

Answer:

False

Q: After use, the syringe and needles must be

Answer:

Thrown away in a puncture resistant container and not capped. E. B & C

Q: How long is an opened vial of insulin is considered good for

Answer: